

FACSIMILE TRANSMITTAL SHEET

TO : GLW OIL PURIFINER PTE LTD **FROM :** Ho Hui Chin
DATE : 30-DEC-2008
ATTENTION : Henry **YOUR FAX NO. :**
RE : ANALYSIS RESULTS **TOTAL PAGES :** 2

If this preliminary report is faxed / printed, it is considered an uncontrolled document. As an uncontrolled document, the test result(s) indicated below is / are not final until the original test report is received.

If you do not receive all pages clearly, please let us know as soon as possible to the undersigned either by telephone or fax as stated. Telephone : 68967428 Fax : 68967429

CB REF/NO. :


SAMPLE DESCRIPTION :

COMPANY :
 OIL : TOTAL SAE 40
 OIL LIFE : APPROX 296 HOURS
 23 NOV 2008-26 DEC 2008
 REMARKS : GENSET
 ENGINE : MITSUBISHI

TEST	METHOD	UNIT	SPECIFICATION	RESULT
Kinematic Viscosity @ 40°C	ASTM D445-06	cSt	Report	121.0
Kinematic Viscosity @ 100°C	ASTM D445-06	cSt	Report	13.30
Viscosity Index	ASTM D2270-04		Report	105
Soot	Video Photometer	%	Report	0.3
Dispersancy	Video Photometer		Report	100
Water Content	Crackle Test	Vol %	Report	<0.05
Water Content	Karl Fischer	wt %	Report	
Base Number	ASTM D2896-07a	mg KOH/g	Report	10.79
Spectro Analysis	ASTM D5185-05(MOD)			
Iron	ASTM D5185-05(MOD)	mg / kg	Report	4
Chromium	ASTM D5185-05(MOD)	mg / kg	Report	< 1
Molybdenum	ASTM D5185-05(MOD)	mg / kg	Report	3
Copper	ASTM D5185-05(MOD)	mg / kg	Report	< 1
Lead	ASTM D5185-05(MOD)	mg / kg	Report	< 1
Silver	ASTM D5185-05(MOD)	mg / kg	Report	< 1
Tin	ASTM D5185-05(MOD)	mg / kg	Report	< 1
Aluminium	ASTM D5185-05(MOD)	mg / kg	Report	1
Nickel	ASTM D5185-05(MOD)	mg / kg	Report	< 1
Vanadium	ASTM D5185-05(MOD)	mg / kg	Report	< 1
Silicon	ASTM D5185-05(MOD)	mg / kg	Report	4
Boron	ASTM D5185-05(MOD)	mg / kg	Report	< 1
Sodium	ASTM D5185-05(MOD)	mg / kg	Report	343

TEST	METHOD	UNIT	SPECIFICATION	RESULT
Magnesium	ASTM D5185-05(MOD)	mg / kg	Report	8
Phosphorus	ASTM D5185-05(MOD)	mg / kg	Report	799
Zinc	ASTM D5185-05(MOD)	mg / kg	Report	1105
Barium	ASTM D5185-05(MOD)	mg / kg	Report	< 1
Calcium	ASTM D5185-05(MOD)	mg / kg	Report	3367

REMARKS : Normal, no action required. Oil is fit for further used. Resample for testing at normal intervals.



APPROVED SIGNATORY

All work is carried out in accordance with our Standard Terms and Conditions of Business, a copy of which will be supplied on request.